



**THIS SAFETY NOTICE IS BROUGHT TO YOU BY
*KENNISON FOREST PRODUCTS INC.***

TIPS FOR SCAFFOLD PLANK STORAGE

- **KEEP SCAFFOLD PLANKS DRY:** The strength and performance of a scaffold plank is reduced by moisture.
- **STORAGE:** Store in a dry, well ventilated area. Storing in wet or unventilated areas will accelerate wood decay and plank deterioration. Always allow wet planks to dry quickly by providing proper air circulation.
- **PROTECTION:** Protect planks from extreme weather conditions, including excessive exposure to water and temperatures exceeding 150 degrees Fahrenheit. Store planks under roof or under a porous cover that will shed water while allowing moisture to escape.
- **STACKING STORED PLANKS:** Keep Planks stacked in bundles off the ground and supported by stickers spaced no more than 8' apart. Be sure to line up the stickers between the bundles with the ground stickers. This will allow easy forklift access and provide air circulation. Misalignment of the stickers can damage the planks by creating a bow. **DO NOT STORE HEAVY OBJECTS ON THE PLANKS.**

Remember to immediately remove damaged scaffold planks from service. Damaged planks may result in injury or death.

For additional Safety Information or Training contact Joe Kennison
Toll-free at (888) 697 5585 Ext. 14 or email: joe@kennisonforest.com

*“QUALIFIED PERSON”, as defined in OSHA Safety and Health Standards and by the SIA, means one who, by possession of a recognized degree, certificate or professional standing or by extensive knowledge, training and experience, has successfully demonstrated the ability to solve or resolve problems relating to the subject matter, the work or the project.